

1. Product and Company Identification

Product Name	EASY-OFF® Oven Cleaner - Heavy Duty
UPC CODES	Refer to section 16
CAS #	Mixture
Product use	Oven cleaner
Manufacturer	Reckitt Benckiser Morris Corporate Center IV 399 Interpace Parkway P.O. Box 225 Parsippany, NJ 07054-0225 In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 3
Flammability	2
Physical Hazard	0
Personal Protection	D



2. Hazards Identification

Emergency overview	<p>DANGER -- CORROSIVE CONTAINS SODIUM HYDROXIDE (LYE). CAUSES BURNS TO SKIN AND EYES ON CONTACT. HARMFUL IF SWALLOWED. Contents under pressure. Avoid contact with eyes, skin, mucous membranes and clothing. DO NOT ingest. Use only with adequate ventilation. Avoid breathing spray mist. Wear long rubber gloves when using.</p>
Potential short term health effects	KEEP OUT OF REACH OF CHILDREN.
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Eyes	Causes burns.
Skin	Causes burns.
Inhalation	None expected during normal conditions of use. However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
Ingestion	Harmful if swallowed.
Target organs	Eyes. Respiratory system. Skin. Gastrointestinal tract.
Chronic effects	The finished product is not expected to have chronic health effects.
Signs and symptoms	The product causes burns of eyes, skin and mucous membranes.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	2.5 - 10
Petroleum gases, liquefied, sweetened	68476-86-8	2.5 - 10
Sodium hydroxide	1310-73-2	2.5 - 10
Ethanol, 2-amino-	141-43-5	1 - 2.5

4. First Aid Measures

First aid procedures

Eye contact	IMMEDIATELY flush eyes with water. Remove any contact lenses and continue to flush eyes for at least 15 minutes. If irritation persists, seek medical attention immediately.
Skin contact	Rinse immediately and remove contaminated clothing. Wash thoroughly with soap and water and continue flushing for at least 10 minutes. If discomfort persists, seek medical attention immediately.
Inhalation	Move to fresh air. If symptoms develop or persist, seek medical advice.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly and seek medical attention immediately.

Notes to physician

Treat patient symptomatically.

General advice

Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Aerosol flame extension less than 18 inches (45 cm).
Extinguishing media	
Suitable extinguishing media	Dry chemical. Alcohol foam. Water spray.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Methods for containment	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material. Do not get this material in your eyes, on your skin, or on your clothing. Do not ingest. Do not breathe vapours or spray mist.
Storage	Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F). Keep away from heat, open flames or other sources of ignition. Keep from freezing.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Ethanol, 2-(2-butoxyethoxy)-	ACGIH-TLV Not established OSHA-PEL Not established
Ethanol, 2-amino-	ACGIH-TLV TWA: 3 ppm STEL: 6 ppm OSHA-PEL TWA: 3 ppm
Petroleum gases, liquefied, sweetened	ACGIH-TLV Not established OSHA-PEL Not established
Sodium hydroxide	ACGIH-TLV Ceiling: 2 mg/m ³ OSHA-PEL TWA: 2 mg/m ³

Engineering controls	Provide adequate ventilation.
Personal protective equipment	
Eye / face protection	tightly fitting safety goggles
Hand protection	Rubber gloves. Confirm with a reputable supplier first.
Skin and body protection	As required by employer code. long sleeved clothing Follow label directions carefully.
Respiratory protection	Not normally required under normal use conditions.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Aerosol.
Color	White.
Form	compressed liquefied gas
Odor	Characteristic
Odor threshold	Not available
Physical state	Gas
pH	13.3
Freezing point	Not available
Pour point	Not available

Boiling point	Not available
Flash point	> 200 °F (> 93.33 °C) (Liquid)
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.052 @ 25°C
Octanol/water coefficient	Not available
Solubility (H2O)	> 95 % @ 70°F
Auto-ignition temperature	Not available
VOC (Weight %)	Not available
Viscosity	Not available

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not spray on pilot light, electrical connections, switch, heating elements, or thermostats. Do not spray onto aluminum or painted surfaces as damage to these surfaces may occur. Do not use on grill exterior, interior or components.
Incompatible materials	Acids. Oxidizing agents. Aluminum.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Ethanol, 2-(2-butoxyethoxy)-	Not available
Ethanol, 2-amino-	1210 mg/m3 mouse
Petroleum gases, liquefied, sweetened	Not available
Sodium hydroxide	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Ethanol, 2-(2-butoxyethoxy)-	2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit
Ethanol, 2-amino-	1720 mg/kg rat; 700 mg/kg mouse
Petroleum gases, liquefied, sweetened	Not available
Sodium hydroxide	Not available

Effects of acute exposure

Eye	Causes burns.
Skin	Causes burns.
Inhalation	None expected during normal conditions of use. However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
Ingestion	Harmful if swallowed.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
Mutagenicity	The finished product is not expected to have chronic health effects.

Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Synergistic Materials	Not available

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.	
Ecotoxicity - Freshwater Algae Data		
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	96 Hr EC50 Desmodesmus subspicatus: >100 mg/L
Ethanol, 2-amino-	141-43-5	72 Hr EC50 Desmodesmus subspicatus: 15 mg/L
Ecotoxicity - Freshwater Fish Species Data		
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static]
Ethanol, 2-amino-	141-43-5	96 Hr LC50 Pimephales promelas: 227 mg/L [flow-through]; 96 Hr LC50 Brachydanio rerio: 3684 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 300-1000 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 114-196 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: >200 mg/L [flow-through]
Sodium hydroxide	1310-73-2	96 Hr LC50 Oncorhynchus mykiss: 45.4 mg/L [static]
Ecotoxicity - Microtox Data		
Ethanol, 2-amino-	141-43-5	30 Min EC50 Photobacterium phosphoreum: 13.7 mg/L; 17 Hr EC50 Pseudomonas putida: 110 mg/L; 2 Hr EC50 Nitrosomonas: 12200 mg/L
Ecotoxicity - Water Flea Data		
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	24 Hr EC50 Daphnia magna: 2850 mg/L; 48 Hr EC50 Daphnia magna: >100 mg/L
Ethanol, 2-amino-	141-43-5	48 Hr EC50 Daphnia magna: 65 mg/L
Environmental effects	Not available	
Aquatic toxicity	Not available	
Persistence / degradability	Not available	
Bioaccumulation / accumulation	Not available	
Partition coefficient	Not available	
Mobility in environmental media	Not available	
Chemical fate information	Not available	

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN1950, Aerosols, Class 2.2 (8), Re-classed as Consumer Commodity ORM-D,
FORBIDDEN FROM AIR TRANSPORT

Transportation of Dangerous Goods (TDG - Canada)

UN1950, Aerosols, Class 2.2 (8), Re-classed as Consumer Commodity/ Limited Quantity,
FORBIDDEN FROM AIR TRANSPORT

IMDG (Marine Transport)

UN1950, Aerosols, Class 2.2 (8), Limited Quantity

IATA/ICAO (Air)

UN 1950, Aerosols, non-flammable, containing substances in Class 8,
Packing Group II, 2.2 (8),
FORBIDDEN FROM AIR TRANSPORT

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	1 Lb statutory RQ (no final RQ is being assigned to the generic or broad class. Includes mono- and di- ethers of ethylene glycol, diethylene glycol and triethylene glycol R-(OCH2CH2)n-OR" where n = 1, 2 or 3, R = alkyl or aryl groups, R" = R h or groups which when removed yield glycol ethers with the structure R-(OCH2CH2)n-OH. Polymers are excluded from glycol category); 0.454 k
Sodium hydroxide	1310-73-2	1000 Lb final RQ; 454 kg final RQ

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	1.0 Percent de minimis concentration (applies to R-(OCH2CH2)n-OR' ethers, where n = 1,2, or 3, R=alkyl C7 or less or R = phenyl or alkyl subst. phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate, Chemical Category N230)
------------------------------	----------	--

U.S. - CWA (Clean Water Act) - Hazardous Substances

Sodium hydroxide	1310-73-2	Present
------------------	-----------	---------

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - Yes
 Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethanol, 2-amino-	141-43-5	Present
Sodium hydroxide	1310-73-2	Present

U.S. - Illinois - Toxic Air Contaminants

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	Present
Ethanol, 2-amino-	141-43-5	Present

U.S. - Louisiana - Reportable Quantity List for Pollutants

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	100 Lb RQ
Sodium hydroxide	1310-73-2	1000 Lb final RQ; 454 kg final RQ

U.S. - Massachusetts - Right To Know List

Ethanol, 2-amino-	141-43-5	Present
Sodium hydroxide	1310-73-2	Present

U.S. - Minnesota - Hazardous Substance List

Ethanol, 2-amino-	141-43-5	Present
Sodium hydroxide	1310-73-2	Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	sn 2265
Ethanol, 2-amino-	141-43-5	sn 0835
Sodium hydroxide	1310-73-2	sn 1706

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Sodium hydroxide	1310-73-2	1000 Lb RQ (air); 100 lb RQ (land/water)
------------------	-----------	--

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	environmental hazard
Ethanol, 2-amino-	141-43-5	Present
Sodium hydroxide	1310-73-2	Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Ethanol, 2-amino-	141-43-5	Toxic; Flammable
Sodium hydroxide	1310-73-2	Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

62338-00138 - 16 oz., EASY-OFF® Oven Cleaner - Heavy Duty Regular Scent: 371752 (772-004)

Issue date

62338-81397 - 24 oz., EASY-OFF® Heavy Duty Oven Cleaner - Club Pack: 367270

07-Jan-2010

Effective date

01-Jan-2010

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.